

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

## 1 Identification

- **Product identifier**
- **Trade name:** LOBADUR WS EasyPrime
- **Article number:** 11036-250
- **Application of the substance / the mixture**  
Coating  
Priming
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Loba Wakol LLC  
2732 Hwy 74 West  
Wadesboro, NC 28170  
Phone: (800) 230-6456  
Email: info@loba-wakol.com
- **Emergency telephone number:**  
For Emergency Assistance Involving Chemicals - Call INFOTRAC US. 800-535-5053  
International: INFOTRAC, Tel + 1 352 323 3500  
Info you need when you call: Product Name or Manufacturer Name

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).

- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

### Dangerous components:

CAS: 107-98-2 EINECS: 203-539-1	1-methoxy-2-propanol	⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336	2.5-5%
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol		<2.5%

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: **LOBADUR WS EasyPrime**

(Contd. of page 1)

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

9009-54-5	polyurethane without free isocyanate	12 mg/m <sup>3</sup>
107-98-2	1-methoxy-2-propanol	100 ppm
57-55-6	Propylene glycol	30 mg/m <sup>3</sup>
63148-62-9	Polydimethylsiloxane	65 mg/m <sup>3</sup>
121-44-8	triethylamine	1 ppm

### · PAC-2:

9009-54-5	polyurethane without free isocyanate	130 mg/m <sup>3</sup>
107-98-2	1-methoxy-2-propanol	160 ppm
57-55-6	Propylene glycol	1,300 mg/m <sup>3</sup>
63148-62-9	Polydimethylsiloxane	720 mg/m <sup>3</sup>
121-44-8	triethylamine	170 ppm

### · PAC-3:

9009-54-5	polyurethane without free isocyanate	790 mg/m <sup>3</sup>
107-98-2	1-methoxy-2-propanol	660 ppm

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: **LOBADUR WS EasyPrime**

(Contd. of page 2)

57-55-6	Propylene glycol	7,900 mg/m <sup>3</sup>
63148-62-9	Polydimethylsiloxane	4,300 mg/m <sup>3</sup>
121-44-8	triethylamine	1,000 ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

### 107-98-2 1-methoxy-2-propanol

REL	Short-term value: 540 mg/m <sup>3</sup> , 150 ppm Long-term value: 360 mg/m <sup>3</sup> , 100 ppm
TLV	Short-term value: 369 mg/m <sup>3</sup> , 100 ppm Long-term value: 184 mg/m <sup>3</sup> , 50 ppm

### 57-55-6 Propylene glycol

WEEL	Long-term value: 10 mg/m <sup>3</sup>
------	---------------------------------------

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Recommended thickness of the material:  $\geq 0.4$  mm
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

(Contd. on page 4)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: LOBADUR WS EasyPrime

(Contd. of page 3)

Value for the permeation: Level  $\leq 6$ · **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Fluid
Color:	According to product specification
Odor:	Recognizable
Odor threshold:	Not determined.

· **pH-value:** Not determined.

#### · Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Decomposition temperature:** Not determined.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Lower:** Not determined.· **Upper:** Not determined.· **Vapor pressure:** Not determined.· **Density at 20 °C (68 °F):** 1.041 g/cm<sup>3</sup> (8.68714 lbs/gal)· **Relative density** Not determined.· **Vapor density** Not determined.· **Evaporation rate** Not determined.

#### · Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

#### · Viscosity:

Dynamic:	Not determined.
Kinematic at 20 °C (68 °F):	15 s (DIN 53211/4)

Solids content: 29.0 %

· **Other information** No further relevant information available.

## 10 Stability and reactivity

· **Reactivity** No further relevant information available.

#### · Chemical stability

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **Possibility of hazardous reactions** No dangerous reactions known.· **Conditions to avoid** No further relevant information available.· **Incompatible materials:** No further relevant information available.· **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: LOBADUR WS EasyPrime

(Contd. of page 4)

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 107-98-2 1-methoxy-2-propanol

Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	13,500 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

9009-54-5	polyurethane without free isocyanate	3
-----------	--------------------------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: LOBADUR WS EasyPrime

(Contd. of page 5)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** not regulated
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** not regulated
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** not regulated
- **Packing group**
- **DOT, ADR, IMDG, IATA** not regulated
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.
- **UN "Model Regulation":** not regulated

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **TSCA (Toxic Substances Control Act):** All components are on the TSCA inventory

### · **Hazardous Air Pollutants**

121-44-8 triethylamine

### · **Proposition 65**

### · **Chemicals known to cause cancer:**

None of the ingredients is listed.

### · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

### · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

### · **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

### · **GHS label elements** Void

### · **Hazard pictograms** Void

### · **Signal word** Void

### · **Hazard statements** Void

### · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: **LOBADUR WS EasyPrime**

(Contd. of page 6)

- **Relevant phrases**

*H226 Flammable liquid and vapor.*

*H336 May cause drowsiness or dizziness.*

- **Department issuing SDS:** Productmanagement.

- **Contact:**

- **Date of preparation / last revision** 03/31/2021 / 26

- **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*ICAO: International Civil Aviation Organisation*

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Flam. Liq. 3: Flammable liquids – Category 3*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

- **\* Data compared to the previous version altered.**

US