## Safety Data Sheet MAPEPROOF 1K TURBO Safety Data Sheet dated: 14/10/2021 - version 3

Date of first edition: 28/08/2019



## 1. Identification

## **GHS Product identifier**

Mixture identification:

Trade name: MAPEPROOF 1K TURBO Trade code: 9028218

Recommended use of the chemical and restrictions on use

Recommended use: Polyurethane primer

Uses advised against: Data not available

#### Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsible: sales@mapei.com.au

#### **Emergency phone number**

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

## 2. Hazard identification



## **Classification of the Hazardous chemical**

Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2A	Causes serious eye irritation.
Resp. Sens. 1	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	May cause an allergic skin reaction.
Carc. 2	Suspected of causing cancer if inhaled, in contact with skin and if swallowed.
STOT SE 3	May cause respiratory irritation.
STOT RE 2	May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

Adverse physicochemical, human health and environmental effects:

No other hazards

## GHS label elements, including precautionary statements

#### **Pictograms and Signal Words**



#### Hazard statements:

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer if inhaled, in contact with skin and if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.

#### **Precautionary statements:**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P285	In case of inadequate ventilation wear respiratory protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P314	Get medical advice/attention if you feel unwell.
P321	Specific treatment (see supplementary instructions on this label)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P362	Take off contaminated clothing and wash before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with applicable regulations.

## Other hazards which do not result in a classification

Other Hazards: No other hazards

## 3. Composition/information on ingredients

#### Substances

no data available

## Mixtures

Mixture identification: MAPEPROOF 1K TURBO

# Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

classification:				
Concentration (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	diphenylmethane-4,4'-diisocyanate;	CAS:101-68-8 EC:202-966-0 Index:615-005- 00-9	Acute Tox. 4, H332; Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT RE 2, H373; Carc. 2, H351	01-2119457014-47-XXXX
≥25 - <50 %	prepolymer based on aromatic polyisocyanate	CAS:67815-87-6 EC:polymer	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT SE 3, H335; STOT RE 2, H373	
≥20 - <25 %	o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'- diisocyanate	CAS:5873-54-1 EC:227-534-9 Index:615-005- 00-9	Carc. 2, H351; STOT RE 2, H373; Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; Acute Tox. 4, H332	01-2119480143-45-0000
≥5 - <10 %	diphenylmethanediisocyanate isomers and homologues	CAS:9016-87-9 EC:618-498-9 Index:615-005- 00-9	Acute Tox. 4, H332; Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT RE 2, H373; Carc. 2, H351	
≥2.5 - <5 %	2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'-diisocyanate	CAS:2536-05-2 EC:219-799-4 Index:615-005- 00-9	Carc. 2, H351; STOT RE 2, H373; Eye Irrit. 2A, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; Acute Tox. 4, H332	01-2119927323-43-XXXX

## 4. First-aid measures

#### Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

#### In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

#### Symptoms caused by exposure

Eye irritation

Eye damages

Skin Irritation

Erythema

## Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

#### 5. Fire-fighting measures

#### Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

#### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available

Oxidizing properties: no data available

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

## **Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

## 7. Handling and storage

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

## See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises: Cool and adequately ventilated.

#### . .

## 8. Exposure controls/personal protection

Control parameters – exposure standards, biological monitoring

## List of components with OEL value

Component	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
diphenylmethane-4,4'- diisocyanate;	National	NORWAY		0.050	0.005	-	0.010		A 4
	National	SWEDEN	С	0.030	0.002	0.050	0.005		SWEDEN, Ceiling limit value
	ACGIH	None			0.005				Resp sens
	National	POLAND		0.030		0.090			
	National	AUSTRIA		0.050	0.005	0.100	0.010		
	ACGIH	None			0.005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI))
	AUS	AUSTRALIA		0.020		0.070			
	OSHA	None	С			0.200	0.020		
	National	SWEDEN		0.030	0.002				
	National	FRANCE		0.100	0.010	0.200	0.020		
	National	SPAIN		0.052	0.005				
	National	DENMARK		0.050	0.005				
	National	GERMANY		0.050					
	National	PORTUGAL			0.005				
	National	BELGIUM		0.052	0.005				
	National	CZECH REPUBLIC		0.050					
	National	HUNGARY		0.05		0.050			
	National	ESTONIA		0.050	0.005	0.100	0.010		
	National	CZECH REPUBLIC	С			0.100			
	National	SLOVAKIA		0.002					
	National	SLOVAKIA		0.030					
	National	SLOVENIA		0.050		0.050			
	National	ROMANIA				0.150			
	National	LITHUANIA		0.050	0.005				
	National	LITHUANIA	С			0.100	0.010		
	ACGIH				0.005				respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI))
	OSHA		С			0.2	0.02		
	National	NORWAY		0.05	0.005		0.01		
	National	SLOVENIA		0.05	0.005	0.05	0.005		
o-(p- isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'- diisocyanate	National	GERMANY		0.05					

	National SLOVE	ΝΤΔ	0.05		0.05	
diphenylmethanediisocya			0.05	0.05	0.05	
nate isomers and homologues				0100		
nomologues					0.07	
	AUS AUSTR		0.02		0.07	
	National GERMA		0.05		0.05	
	National SLOVE	NIA	0.05		0.05	
2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'- diisocyanate	ACGIH None		0.051			
	National GERMA	NY	0.05			
	National SLOVE	NIA	0.05		0.05	
Predicted No Effect Cor	ncentration (PN	EC) values				
Component	CAS-No.	PNEC Limit	Exposure R	oute	Exposure	Frequency Remark
diphenylmethane-4,4'-	101-68-8	1 mg/l	Fresh Water			
diisocyanate;		5,				
		0.1 mg/l	Marine water	-		
		1 mg/kg	Soil			
		1 mg/l	Microorganis sewage treat			
		10.000000 mg/l	Intermittent	release		
o-(p- isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'- diisocyanate	5873-54-1	1 mg/l	Fresh Water			
		0.1 mg/l	Marine water			
		1 mg/kg	Soil			
		1 mg/l	Microorganis sewage treat			
2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'- diisocyanate	2536-05-2	1 mg/l	Fresh Water			
		0.1 mg/kg	Marine water			
		1 mg/l	Soil			
		1 mg/l	Microorganis sewage treat			
			Jenage field			
Derived No Effect Leve						
Component	CAS-No.	Industr Pr	orker Consu ofess mer nal	Expos	ure Route	Exposure Frequency Remark
diphenylmethane-4,4'- diisocyanate;	101-68-8	y io 50 mg/kg	liai	Humar	n Dermal	Short Term, systemic effects
		0.1 mg/m3		Humar	n Inhalation	Short Term, systemic effects
		0.1 mg/m3		Humar	n Inhalation	Short Term, local effects
		0.05 mg/m3		Humar	n Inhalation	Long Term, systemic effects
		0.05 mg/m3		Humar	n Inhalation	Long Term, local effects
			25 mg/kg	Humar	n Dermal	Short Term, systemic effects

			0.05 mg/m3	Human Inhalation	Short Term, systemic effects
			20 mg/kg	Human Oral	Short Term, systemic effects
			0.05 mg/m3	Human Inhalation	Short Term, local effects
			0.025 mg/m3	Human Inhalation	Long Term, systemic effects
			0.025 mg/m3	Human Inhalation	Long Term, local effects
		28.7 mg/cm2	17.2 mg/cm2	Human Dermal	Short Term, local effects
o-(p- isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'- diisocyanate	5873-54-1	50 mg/kg	25 mg/kg	Human Dermal	Short Term, systemic effects
		0.1 mg/m3	0.05 mg/m3	Human Inhalation	Short Term, systemic effects
		28.7 mg/cm2	17.2 mg/cm2	Human Dermal	Short Term, local effects
		0.1 mg/m3	0.05 mg/m3	Human Inhalation	Short Term, local effects
		0.05 mg/m3	0.025 mg/m3	Human Inhalation	Long Term, systemic effects
		0.05 mg/m3	0.025 mg/m3	Human Inhalation	Long Term, local effects
			20 mg/kg	Human Oral	Short Term, systemic effects
2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'- diisocyanate	2536-05-2	50 mg/kg	25 mg/kg	Human Dermal	Short Term, systemic effects
		0.1 mg/m3	0.05 mg/m3	Human Inhalation	Short Term, systemic effects
		28.7 mg/cm2	17.2 mg/cm2	Human Dermal	Short Term, local effects
		0.1 mg/m3	0.05 mg/m3	Human Inhalation	Short Term, local effects
		0.05 mg/m3	0.025 mg/m3	Human Inhalation	Long Term, systemic effects
		0.05 mg/m3	0.025 mg/m3	Human Inhalation	Long Term, local effects
			20 mg/kg	Human Oral	Long Term, systemic effects

## Appropriate engineering controls

no data available

**Individual protection measures, such as personal protective equipment (PPE)** Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

## Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment. Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Use adequate protective respiratory equipment.

#### 9. Physical and chemical properties

Physical state: Liquid Color: light brown Appearance: liquid Odour: Characteristic Odour threshold: no data available pH: no data available Melting point / freezing point: no data available Initial boiling point and boiling range: 350 °C (662 °F) Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas): no data available Upper/lower flammability or explosive limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: no data available Solubility in water: insoluble, reacts Solubility in oil: no data available Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: no data available Decomposition temperature: no data available Viscosity: 300.00 cPs Specific heat value: no data available Saturated vapour concentration: no data available Release of invisible flammable vapours and gases: no data available Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Crystallinity: no data available Dustiness: no data available Specific surface area: no data available Degree of aggregation or agglomeration, and dispersibility: no data available Biodurability or biopersistence: no data available Surface coating or chemistry: no data available VOC % (Volatile Organic Compound) : 0 (Rule 1168) g/l

#### 10. Stability and reactivity

#### Reactivity

Stable under normal conditions
Chemical stability
no data available
Possibility of hazardous reactions
None.
Conditions to avoid
Stable under normal conditions.
Incompatible materials
None in particular.
Hazardous decomposition products

## **SECTION 11: Toxicological information** Information on toxicological effects

Toxicological information on main components of the mixture:

diphenylmethane-4,4'- diisocyanate;	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg	
		LD50 Skin Rabbit > 9400 mg/kg	
	b) skin corrosion/irritation	Skin Irritant Skin Rabbit Positive	
	d) respiratory or skin sensitisation	Skin Sensitization Skin Mouse Positive	
		Respiratory Sensitization Inhalation Positive	
	f) carcinogenicity	Carcinogenicity Inhalation Rat = 6.00000 mg/m3	2 y
	g) reproductive toxicity	NOAEL Inhalation Rat = 12.00000 mg/m3	20 d
prepolymer based on aromatic polyisocyanate	a) acute toxicity	LD50 Skin Rat > 9400 mg/kg	
		LC50 Inhalation Rat 310 mg/m3 4h	
		LD50 Oral Rat > 2000 mg/kg	
	b) skin corrosion/irritation	Skin Irritant Positive	
	d) respiratory or skin sensitisation	Skin Sensitization Mouse Positive	
	e) germ cell mutagenicity	NOAEL Inhalation Rat = 12 mg/m3	
o-(p- isocyanatobenzyl)phenyl isocyanate; diphenylmethane-2,4'- diisocyanate	a) acute toxicity	LD50 Skin Rabbit > 9400 mg/kg	
		LD50 Oral Rat > 2000 mg/kg	
	e) germ cell mutagenicity	NOAEL Inhalation Rat = 12 mg/m3	
diphenylmethanediisocya nate isomers and homologues	a) acute toxicity	LD50 Oral Rat > 10000 mg/kg	
		LD50 Skin Rabbit > 9400 mg/kg	
		LC50 Inhalation Dust Rat = 0.31 mg/l 4h	
		LD50 Skin Rabbit > 9.4 g/kg	
		LC50 Inhalation Rat = 490 mg/m3 4h	
		LD50 Oral Rat = 49 g/kg	
	g) reproductive toxicity	NOAEL Inhalation Rat = 12 mg/m3	
2,2'-methylenediphenyl diisocyanate; diphenylmethane-2,2'- diisocyanate	a) acute toxicity	LD50 Oral Rat > 2000 mg/kg	
		LC50 Inhalation Dust Rat = 0.527 mg/l 4h	
		LD50 Skin Rabbit > 9400 mg/kg	
	e) germ cell mutagenicity	NOAEL Inhalation Rat = 12 mg/m3	
	· - ,	-	

## 12. Ecological information

## Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

## List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
diphenylmethane-4,4'- diisocyanate;	CAS: 101-68-8 - EINECS: 202-966-0 - INDEX: 615-005- 00-9	a) Aquatic acute toxicity: LC50 Fish > 1000 mg/L 96

		a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
		a) Aquatic acute toxicity : EC50 Algae > 1640 mg/L 72
		c) Bacteria toxicity : EC50 > 100 mg/L 3
		d) Terrestrial toxicity : NOEC > 1000 mg/kg - 14 d
		e) Plant toxicity : NOEC > 1000 mg/kg - 14 d
prepolymer based on aromatic polyisocyanate	CAS: 67815-87-6 - EINECS: polymer	a) Aquatic acute toxicity : LC50 Fish > 1000 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
		a) Aquatic acute toxicity: EC50 Algae > 1640 mg/L 72
		c) Bacteria toxicity : EC50 > 100 mg/L 3
o-(p-isocyanatobenzyl)phenyl isocyanate; diphenylmethane- 2,4'-diisocyanate	CAS: 5873-54-1 - EINECS: 227-534-9 - INDEX: 615-005- 00-9	a) Aquatic acute toxicity: LC50 Fish > 1000 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
		a) Aquatic acute toxicity : EC50 Algae > 1640 mg/L 72
		c) Bacteria toxicity: EC50 > 100 mg/L 3
		d) Terrestrial toxicity: NOEC > 1000 mg/kg - 14 d
		e) Plant toxicity: NOEC > 1000 mg/kg - 14 d
diphenylmethanediisocyanate isomers and homologues	CAS: 9016-87-9 - EINECS: 618-498-9 - INDEX: 615-005- 00-9	a) Aquatic acute toxicity : LC50 Fish > 1000 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
		a) Aquatic acute toxicity: EC50 Algae > 1640 mg/L 72
		c) Bacteria toxicity : EC50 > 100 mg/L 3
		d) Terrestrial toxicity: NOEC > 1000 mg/kg - 14 d
		e) Plant toxicity : NOEC > 1000 mg/kg - 14 d
2,2'-methylenediphenyl diisocyanate; diphenylmethane- 2,2'-diisocyanate	CAS: 2536-05-2 - EINECS: 219-799-4 - INDEX: 615-005- 00-9	a) Aquatic acute toxicity : LC50 Fish > 1000 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia > 1000 mg/L 24
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
		a) Aquatic acute toxicity: EC50 Algae > 1640 mg/L 72
		c) Bacteria toxicity : EC50 > 100 mg/L 3
		e) Plant toxicity: NOEC > 1000 mg/kg - 14 d
		d) Terrestrial toxicity: NOEC > 1000 mg/kg - 14 d
Persistence and degradability		
no data available		
Bioaccumulative potential		
no data available		
Mobility in soil		
no data available		
Other adverse effects no data available		
13. Disposal considerations	•	

## 13. Disposal considerations

## **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible. Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

## 14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN	number	

## no data available

UN proper shipping name no data available

## Transport hazard class(es)

no data available

Packing group, if applicable

no data available

Environmental hazards no data available

Special precautions for user

no data available

## Additional Information

no data available

#### HazChem Code/Emergency Action code

no data available

## 15. Regulatory information

## Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals. AICS: all components are listed

16. Other information

Code	Description
Code	Description
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H351	Suspected of causing cancer if inhaled, in contact with skin and if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled, in contact with skin and if swallowed.
This document was prepared by a competent person who has received appropriate training.	

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

#### SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

- BCF: Biological Concentration Factor
- BEI: Biological Exposure Index
- BOD: Biochemical Oxygen Demand
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CAV: Poison Center

CE: European Community

- CLP: Classification, Labeling, Packaging.
- CMR: Carcinogenic, Mutagenic and Reprotoxic
- COD: Chemical Oxygen Demand
- COV: Volatile Organic Compound
- CSA: Chemical Safety Assessment
- CSR: Chemical Safety Report
- DMEL: Derived Minimal Effect Level
- DNEL: Derived No Effect Level.
- DPD: Dangerous Preparations Directive
- DSD: Dangerous Substances Directive
- EC50: Half Maximal Effective Concentration
- ECHA: European Chemicals Agency
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- ES: Exposure Scenario
- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- IARC: International Agency for Research on Cancer
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- IC50: half maximal inhibitory concentration
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- IMDG: International Maritime Code for Dangerous Goods.
- INCI: International Nomenclature of Cosmetic Ingredients.
- IRCCS: Scientific Institute for Research, Hospitalization and Health Care
- KSt: Explosion coefficient.
- LC50: Lethal concentration, for 50 percent of test population.
- LD50: Lethal dose, for 50 percent of test population.
- LDLo: Leathal Dose Low
- N.A.: Not Applicable
- N/A: Not Applicable
- N/D: Not defined/ Not available
- NA: Not available
- NIOSH: National Institute for Occupational Safety and Health
- NOAEL: No Observed Adverse Effect Level
- OSHA: Occupational Safety and Health Administration.
- PBT: Persistent, Bioaccumulative and Toxic
- PGK: Packaging Instruction
- PNEC: Predicted No Effect Concentration.
- PSG: Passengers
- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
- STEL: Short Term Exposure limit.
- STOT: Specific Target Organ Toxicity.
- TLV: Threshold Limiting Value.
- TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class.

## Paragraphs modified from the previous revision:

- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION