Printing date 05/10/2021

Reviewed on 05/10/2021

## **1** Identification

- · Product identifier
- · Trade name: LOBASOL PreTone Black
- · Article number: 10612-900005-250
- *Application of the substance / the mixture Paint Paint additive*
- Processing aid
- $\cdot$  Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Loba Wakol LLC 2732 Hwy 74 West Wadesboro, NC 28170
- Phone: (800) 230-6456
- Email: info@loba-wakol.com
- · Emergency telephone number:
- For Emergency Assistance Involving Chemicals Call INFOTRAC US. 800-535-5053 International:INFOTRAC, Tel + 1 352 323 3500 Info you need when you call: Product Name or Manufacturer Name

# 2 Hazard(s) identification

· Classification of the substance or mixture

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- · Label elements
- GHS label elements
- *The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



- · Signal word Warning
- *Hazard-determining components of labeling: trisodium bis[3-hydroxy-4-[(2-hydroxy -1-naphthyl) azo]-7-nitronaphthalene-1- sulphonato(3-)] chromate(3-)*
- · Hazard statements
- May cause an allergic skin reaction.
- · Precautionary statements
- Wear protective gloves.
- If on skin: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

US

Printing date 05/10/2021

Reviewed on 05/10/2021

#### Trade name: LOBASOL PreTone Black

(Contd. of page 1)

#### · HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
FIRE 0	Fire = 0
REACTIVITY 0	<i>Reactivity</i> $= 0$

#### • Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 57693-14-8trisodium bis[3-hydroxy-4-[(2-hydroxy -1-naphthyl) azo]-7-nitronaphthalene-1-<1%EINECS: 260-906-9sulphonato(3-)] chromate(3-) $\checkmark$  Eye Irrit. 2A, H319; Skin Sens. 1, H317

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

## · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

<sup>·</sup> Extinguishing media

US

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: LOBASOL PreTone Black

Protective	(C Action Criteria for Chemicals	ontd. of page 2
· PAC-1:		
1333-86-4	Carbon black	9 mg/m <sup>3</sup>
112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen	<sup>°</sup> 4.1 mg/m <sup>3</sup>
· PAC-2:		
1333-86-4	Carbon black	99 mg/m <sup>3</sup>
112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm
7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight on nitrogen	f 45 mg/m <sup>.</sup>
· PAC-3:		
1333-86-4	Carbon black	590 mg/m <sup>-</sup>
112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm
7631-99-4	sodium nitrate, containing in the dry state more than 16,3 per cent by weight of nitrogen	270 mg/m <sup>.</sup>

## 7 Handling and storage

· Handling:

• **Precautions for safe handling** No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

· Storage class: 12

• *Specific end use(s)* No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

US

Printing date 05/10/2021

Reviewed on 05/10/2021

(Contd. of page 3)

Trade name: LOBASOL PreTone Black

Recommended thickness of the material:  $\geq 0.4$  mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

*Value for the permeation: Level*  $\leq 6$ 

• Eye protection: Goggles recommended during refilling.

## 9 Physical and chemical properties

· Information on basic physical and	chemical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Color:	Black	
• Odor:	Recognizable	
· Odor threshold:	Not determined.	
• pH-value at 20 °C (68 °F):	7	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
Lower:	Not determined.	
· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
• Density at 20 °C (68 °F):	1.005 g/cm <sup>3</sup> (8.38673 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.

(Contd. on page 5)

US -

Printing date 05/10/2021

Reviewed on 05/10/2021

(Contd. of page 4)

2B

Trade name: LOBASOL PreTone Black

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 $\cdot$  Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1333-86-4 Carbon black

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### **OSHA** (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

• Uncleaned packagings:

- *Recommendation: Disposal must be made according to official regulations.*
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 05/10/2021

Reviewed on 05/10/2021

#### Trade name: LOBASOL PreTone Black

(Contd. of page 5)

UN-Number DOT, ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	not regulated	

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture • TSCA (Toxic Substances Control Act): All components are on the TSCA inventory

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

1333-86-4 Carbon black

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labeling: trisodium bis[3-hydroxy-4-[(2-hydroxy -1-naphthyl) azo]-7-nitronaphthalene-1- sulphonato(3-)] chromate(3-)
Hazard statements May cause an allergic skin reaction.

• **Precautionary statements** Wear protective gloves.

If on skin: Wash with plenty of soap and water.

(Contd. on page 7)

Printing date 05/10/2021

Reviewed on 05/10/2021

#### Trade name: LOBASOL PreTone Black

(Contd. of page 6)

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• *Relevant phrases* H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

· Department issuing SDS: Productmanagement.

· Contact:

· Date of preparation / last revision 05/10/2021 / 4 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 \* Data compared to the previous version altered.