Printing date 03/31/2021

Reviewed on 03/31/2021

1 Identification

- · Product identifier
- · Trade name: LOBADUR WS UV-Protect
- Article number: 11017-250
- · Application of the substance / the mixture Paint additive
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Loba Wakol LLC 2732 Hwy 74 West Wadesboro, NC 28170 Phone: (800) 230-6456 Email: info@loba-wakol.com
- Emergency telephone number:
- For Emergency Assistance Involving Chemicals Call INFOTRAC US. 800-535-5053 International:INFOTRAC, Tel + 1 352 323 3500 Info you need when you call: Product Name or Manufacturer Name

2 Hazard(s) identification

Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).
Label elements
GHS label elements Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Classification system:
NFPA ratings (scale 0 - 4)
Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void
- Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.

(Contd. on page 2)

Printing date 03/31/2021

Reviewed on 03/31/2021

(Contd. of page 1)

Trade name: LOBADUR WS UV-Protect

- After eye contact: Rinse opened eye for several minutes under running water.
- *After swallowing: If symptoms persist consult doctor.*
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

<u>5 Fire-fighting measures</u>

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: 12
- *Specific end use(s) No further relevant information available.*

(Contd. on page 3)

Printing date 03/31/2021

*

*

Reviewed on 03/31/2021

Trade name: LOBADUR WS UV-Protect

(Contd. of page 2)

Auditonui injormation about aesig	n of technical systems: No further data; see item 7.
Control nanow stans	n of contiou systems. 210 futuror auta, soo ttom 7.
 Control parameters Components with limit values that 	require monitoring at the workplace:
	v relevant quantities of materials with critical values that have to
monitored at the workplace.	1 5
• Additional information: The lists th	at were valid during the creation were used as basis.
· Exposure controls	
Personal protective equipment:	
• General protective and hygienic me The usual precautionary measures t	easures: For handling chemicals should be followed.
• Breathing equipment: Not required	
· Protection of hands:	
	neable and resistant to the product/ the substance/ the preparation.
	n consideration of the penetration times, rates of diffusion and t
degradation • Material of gloves	
Nitrile rubber, NBR	
	does not only depend on the material, but also on further marks of qual
	nanufacturer. As the product is a preparation of several substances, i
	not be calculated in advance and has therefore to be checked prior to t
application. Recommended thickness of the mate	rial: >0.4 mm
· Penetration time of glove material	$f(u) \ge 0.7 mm$
	b be found out by the manufacturer of the protective gloves and has to
	b be jound out by the manufacturer of the protective gloves and has to
observed.	
observed. For the mixture of chemicals me	entioned below the penetration time has to be at least 480 minut
observed. For the mixture of chemicals me (Permeation according to EN 1652)	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6).
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6).
observed. For the mixture of chemicals me (Permeation according to EN 1652)	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6).
observed. For the mixture of chemicals me (Permeation according to EN 1652) Value for the permeation: Level ≤ 6 • Eye protection: Goggles recommend	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Physical and chemical proper • Information on basic physical and	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. r ties
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Physical and chemical proper • Information on basic physical and • General Information	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. r ties
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recommend • Physical and chemical property • Information on basic physical and • General Information • Appearance:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recommend • Physical and chemical property • Information on basic physical and • General Information • Appearance:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color:	entioned below the penetration time has to be at least 480 minu. 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dephysical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dephysical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dephysical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined. Not determined.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dephysical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined. Not determined. Undetermined.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dephysical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined. Not determined. Undetermined. 100 °C (212 °F)
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dephysical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Dependence of the permeation of the permeation • Information on basic physical and • General Information • Appearance: Form: Color: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Flammability (solid, gaseous):	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable. Not applicable.
observed. For the mixture of chemicals me (Permeation according to EN 1652: Value for the permeation: Level ≤ 6 • Eye protection: Goggles recomment • Eye protection: Goggles recomment • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Flammability (solid, gaseous): • Decomposition temperature:	entioned below the penetration time has to be at least 480 minut 3-1:2015: Level 6). ded during refilling. rties chemical properties Fluid According to product specification Recognizable Not determined. Not determined. Undetermined. Undetermined. 100 °C (212 °F) Not applicable. Not applicable. Not determined.

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: LOBADUR WS UV-Protect

		(Contd. of page 3
· Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.02 g/cm ³ (8.5119 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	t ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C (68 °F):	10 s (DIN 53211/4)	
Solids content:	20 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

• OSHA (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 5)

US

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: LOBADUR WS UV-Protect

(Contd. of page 4)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

After prior treatment product has to be landfilled or incinerated adhering to the regulations pertaining to the disposal of especially hazardous waste.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name		
DOT, ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, ADR, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	: II of	
MARPOL73/78 and the IBC Code	Not applicable.	

(Contd. on page 6)

Printing date 03/31/2021

Reviewed on 03/31/2021

Trade name: LOBADUR WS UV-Protect

(Contd. of page 5)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- TSCA (Toxic Substances Control Act): All components are on the TSCA inventory

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · GHS label elements Void
- Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Productmanagement.
- · Contact:
- Date of preparation / last revision 03/31/2021 / 10
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
- * Data compared to the previous version altered.