

Woodcare®

Exterior Wood Cleaner

Product Base Code: WPWC

	Product Description	
	<p>Haymes Paint Woodcare Wood Cleaner is a powerful, easy-to-use solution that cleans, revives and prepares exterior timber for coating. Preparation with Haymes Paint Woodcare Wood Cleaner helps timber absorb the coating and ensures maximum adhesion and performance. It is a vital first step in keeping your timber looking great for longer.</p>	
	Key Features & Benefits	
	<p>Removes dirt, grease and tannin stains</p>	<p>Cleans and prepares the timber for optimum results</p>
<p>Restores grey and weathered timber</p>	<p>Returns timber to the original colour</p>	
<p>Revitalises water-stained or mould effected timber</p>	<p>Removes unsightly stains, to achieve a clean and even finish</p>	
	<p>Coverage Up to 15 Sqm/L</p>	

Where to use

Substrate : Timber-Decking, Timber-Exterior, Timber-Tannin Rich and Timber-Weatherboard

Exterior : Cladding, Decking and Window Frames

Weathered, stained or mould affected exterior timber

Typical Properties

Application method	Airless spray, scrubbing brush, stiff bristle broom
Clean-up	Water
Coverage	1L of Wood Cleaner mixed with 3 parts water will clean up to 15 sq. metres/L
Sizes	1L, 4L
VOC	60 g/L

Precautions

- Wear rubber gloves, covered footwear and safety glasses during use.
- If cleaning in close proximity to vegetation and metal surfaces, hose down areas prior to and after applying Haymes Woodcare Wood Cleaner. If contact occurs, immediately rinse with water.
- Clean large sections at a time.
- Avoid spot-cleaning as it may result in a patchy, uneven appearance. Ensure Haymes Woodcare Wood Cleaner is thoroughly removed from surface.
- For stubborn stains or heavily discoloured or greyed areas, mix a stronger Haymes Woodcare Wood Cleaner

Precautions

- solution, or repeat application steps.
- Haymes Woodcare Wood Cleaner is not a paint and varnish stripper. Use a stripper or sand the surface to remove previous coatings.

Application

- Shake container thoroughly before use.
- Wet the surface thoroughly with water. For best results, let the surface soak for at least 30 minutes.
- Clean the surface thoroughly with Haymes Woodcare Wood Cleaner mixing 1 part Wood Cleaner with 3 parts water in a plastic container.
- Apply generously and scrub thoroughly.
- Allow to stand for 10-15 minutes and rinse surface thoroughly using a pressure washer.
- For heavily discoloured or greyed areas a repeat application may be required.
- Ensure all traces of wood cleaner are removed prior to application of any finishing coats.
- Allow the surface to dry for at least 24 hours prior to application of finishing products.

Care and Maintenance

After 24 hours, coat cleaned timber promptly with a suitable Haymes Woodcare stain or clear finish to maintain the rejuvenated appearance.

Storage

Read the Safety Data Sheet (SDS) for this product for specific directions on storage (section 7 of the SDS) and transport (section 10 of the SDS). To obtain a copy of the SDS, go to the Haymes Paint website, <https://www.haymespaint.com.au/products/technical/product-data-sheets-and-safety-data-sheets/>, or contact Haymes Service Express on 1800 033 431. Containers must be secured and stored upright during transit. Protect from extremes of temperature. Store in a cool, dry, well-ventilated place and out of direct sunlight. Check regularly for leaks. Ensure the container label remains legible for future identification and usage.

Safety & First Aid

Read the Safety Data Sheet (SDS) for this product, prior to using this product. The SDS contains important information on how to use this product safely including hazards and precautions, personal protective equipment, storage and first aid in the event of an emergency. To obtain a copy of the SDS, go to the Haymes Paint website, <https://www.haymespaint.com.au/products/technical/product-data-sheets-and-safety-data-sheets/>, or contact Haymes Service Express on 1800 033 431.

If the product is swallowed, phone the Poisons Information Centre on 13 11 26 or contact a Doctor. Keep out of reach of children. Avoid contact with skin and eyes. Wear suitable, protective clothing, eye protection and impervious gloves when mixing and using.

Protect our Environment

Do NOT pour any leftover product down the drain. Retain in a marked, sealed container for future use or disposal via chemical waste collection programs such as Paintback®. Visit www.paintback.com.au for details of your nearest depot. Dried empty containers can be recycled and should be disposed of via recycling facilities.

Manufacturer's comment

This product has been designed as part of an integrated application system. Use with any other manufacturer's product(s) or failing to follow application instructions, could result in detrimental effects on product performance, for

Manufacturer's comment

which Henry Haymes Pty. Ltd. cannot be held responsible. Important safety information is available on the Safety Data Sheet available from Haymes Paint website www.haymespaint.com.au. Further information about other Haymes products recommended to be used in conjunction with this product are available from the website in the form of Product Data Sheets in relation to those products. We are continually updating materials and methods, so please ensure you have the latest information on the Haymes Paint website.

Disclaimer

The information provided in this Product Data Sheet is correct at the time of preparation, but is subject to change. It is your responsibility to check the Haymes Paint website at www.haymespaint.com.au to ensure that you have the most current Product Data Sheet. Product application and performance is affected by environmental conditions at the time of application and drying. Paint applied in conditions outside of what is recommended may dry more slowly or be less durable, or produce a less uniform appearance.

Version

Version and Date Issued	Version 2.0 Date 10/08/2021
Supersedes	Version 1.0 Date 20/04/2017

Henry Haymes Pty Ltd
A.B.N. 14 004 201 638
Waringa Drive
Wendouree Industrial Park
Ballarat Vic 3355
Freecall 1800 033 431
www.haymespaint.com.au